# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| S1 | 2 | "6430184".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 15:07 |
| S2 | 39 | (packetization adj (module or unit or unit)) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 16:08 |
| S3 | 29 | ((packetization adj (module or unit or unit)) same (signal or message)) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 16:10 |
| S4 | 1791 | (signal or indication or message or instruction) with ((ready or awaiting) with (packet or cell)) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 16:20 |
| S5 | 483 | (signal or indication or message or instruction) with ((ready or awaiting) adj3 (packet or cell)) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 16:21 |
| S7 | 316 | (signal or indication or message or instruction) with ((ready or awaiting) adj2 (packet or cell)) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 16:21 |
| S8 | 39 | (signal or indication or message or instruction) with ((ready or awaiting) adj (packet or cell)) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 16:21 |

| S9 | 277 | (signal or indication or message or instruction) with ((ready or awaiting) adj2 (packet or cell)) and (@rlad<"20001212" or @ad<"20001212") not S8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 16:49 |
|----|-----|----|----|----|----|----|
| S10 | 4 | (signal or indication or message or instruction) with ((ready or awaiting) with (packet or cell) with partial) and (@rlad<"20001212" or @ad<"20001212") not S8 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 17:31 |
| S11 | 18 | (signal or indication or message or instruction) with ((ready or awaiting) with (packet or cell) ) and (transmit$6 with partial with (packet or cell)) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 17:39 |
| S12 | 881 | ((transmit$6 or transfer$4 or cop$4) with partial with (packet or cell)) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 17:46 |
| S13 | 27 | ((transmit$6 or transfer$4 or cop$4) adj2 partial adj2 (packet or cell)) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 17:47 |
| S16 | 8 | (((transmit$6 or transfer$4 or cop$4) with partial with (packet or cell)) same schedul$5) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 17:56 |
| S17 | 21 | (((transmit$6 or transfer$4 or cop$4) with partial with (packet or cell or frame)) same timing) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 18:05 |
| S18 | 18 | (((transmit$6 or transfer$4 or cop$4) with partial with (packet or cell or frame)) same interrupt$3) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 18:11 |

| S19 | 117 | (((transmit$6 or transfer$4 or cop$4) with (packet or cell or frame)) with timer with interrupt$3) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 18:42 |
|---|---|---|---|---|---|---|
| S20 | 11 | (((transmit$6 or transfer$4 or cop$4) with (packet or cell or frame)) with timer with interrupt$3 with (processor or controller) with (buffer or fifo or queue)) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 18:43 |
| S21 | 725 | (signal or indication or message or instruction) with ((ready or awaiting) with (packet or cell) with receiv $5) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 18:45 |
| S22 | 710 | (signal or indication or message ) with ((ready or awaiting) with (packet or cell) with receiv$5) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 18:45 |
| S23 | 30 | ((signal or indication or message ) with ((ready or awaiting) with (packet or cell) with receiv$5) same interval) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 18:46 |
| S24 | 4 | (receive with ready with regular with interval) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 18:50 |
| S25 | 444 | (receive with ready with period$5) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 19:01 |
| S26 | 17 | ((send$4 or transmit$5 or indicat$5) with message with receive with ready with period$5) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 19:02 |

| S27 | 6 | advantage with transmitting with partial with (frame or cell or packet) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/23 20:07 |
|-----|----|-----|-----|----|----|-----|
| S28 | 698 | (parallel with packet with processing) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/24 09:27 |
| S29 | 9 | (advantage with parallel with packet with processing) and (@rlad<"20001212" or @ad<"20001212") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/12/24 09:27 |

12/24/2008 1:01:36 PM
C:\ Documents and Settings\ sahmed\ My Documents\ EAST\ Workspaces\ 10716462-Dec-23-2008-Chu_case.wsp